

Technical Datasheet

Latex gloves Grip | powder-free

Art.no.: 2676

Basic-UDI: 40155440120GS

HYGO STAR

Product image



Product specifications

- disposable gloves made of strong latex
- extra grippy due to textured surface
- elastic, great fit for a great tactile sensitivity
- resistant against solvents and chemicals
- powder-free, rolled cuff, non-sterile, ambidextrous fit

Area of application

- for food processing, gastronomy, laboratory, industry, pharmacy and medical purposes

Specification

Colour	white
Size	7/S
Length	24cm
Weight per piece (gr)	ca. 5,3

Technical Datasheet

Latex gloves Grip | powder-free

Art.no.: 2676

Basic-UDI: 40155440120GS


HYGO STAR

Additional information disposable gloves

Thickness fingertips in mm ($\pm 10\%$)	0.13
Thickness palm in mm ($\pm 10\%$)	0.1
Thickness shaft in mm ($\pm 10\%$)	0.08
Tear strength (min.) in N	6
Elasticity (min.) in %	650

Classification

Product standards



Product properties

Quality level	5 of 8
oil and grease resistance	3 of 8
chemical resistance	3 of 8
Powdering	powder-free
material	Latex
medical device-export Switzerland	Swiss authorised representative: Johner Medical Schweiz GmbH

Technical Datasheet

Latex gloves Grip | powder-free

Art.no.: 2676

Basic-UDI: 40155440120GS

HYGO STAR

Packing

Type of inner packaging	cardboard
Type of outer packaging	cardboard
Quantity inner packing	100 piece
Quantity outer packing	1.000 piece
Quantity CCG1 pallet	36.000 piece
Quantity full pallet	81.000 piece
LxWxH outer packing in cm	38,5 x 24,5 x 22,0
Volume outer packing in m ³	0.0207515
Weight outer packing in gr.	6.220

Additional information

Costums tariff number	4015120000
Country of origin	ID
EAN code outer packing	4015544967937
EAN code inner packing	4015544267938
Minimum shelf life	5 years from production date

You need more detailed information? We will be happy to advise you!

The technical data are average production values and may deviate slightly in individual cases.
Subject to change without notice, no warranty for misprints or errors.