

ECOLUTION MILIZID STICKS

Version number: GHS 1.0

Date of compilation: 25.03.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

ECOLUTION MILIZID STICKS

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

cleaning agent
professional use

Uses advised against

Do not use for private purposes (household).

1.3 Details of the supplier of the safety data sheet

DR.SCHNELL GmbH & Co. KGaA
Taunusstraße 19
80807 München
Germany

Telephone: +49 89 35 06 08 0

e-mail: info@dr-schnell.de

Website: www.dr-schnell.com

e-mail (competent person)

regulatory@dr-schnell.de

1.4 Emergency telephone number

Emergency information service

+44 1235 239670 (24 hours, multilingual)

24 hours emergency information

Germany

+49 89 220 61012

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Category	Hazard class and category	Hazard statement
3.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319
4.1C	hazardous to the aquatic environment - chronic hazard	3	Aquatic Chronic 3	H412

For full text of abbreviations: see SECTION 16.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- Signal word warning

- Pictograms

GHS07



- Hazard statements

H315

Causes skin irritation.

H319

Causes serious eye irritation.

H412

Harmful to aquatic life with long lasting effects.

ECOLUTION MILIZID STICKS

Version number: GHS 1.0

Date of compilation: 25.03.2025

- Precautionary statements

- P273 Avoid release to the environment.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352 IF ON SKIN: Wash with plenty of water.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P314 Get medical advice/attention if you feel unwell.

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of $\geq 0,1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS
sulphamidic acid	CAS No 5329-14-6 EC No 226-218-8 Index No 016-026-00-0 REACH Reg. No 01-2119488633-28-xxxx 01-2119846728-23-xxxx 01-2119982121-44-xxxx	50 – < 75	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Aquatic Chronic 3 / H412
Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14- 16 (even numbered)-alkene, sodium salts	CAS No 68439-57-6 EC No 931-534-0 REACH Reg. No 01-2119513401-57-xxxx	10 – < 25	Skin Irrit. 2 / H315 Eye Dam. 1 / H318
Potassium carbonate	CAS No 584-08-7 EC No 209-529-3 REACH Reg. No 01-2119532646-36-xxxx	1 – < 5	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 STOT SE 3 / H335

Name of substance	Specific Conc. Limits	M-Factors	ATE
Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14- 16 (even numbered)-alkene, sodium salts	Skin Irrit. 2; H315: $C \geq 5 \%$ Eye Dam. 1; H318: $C \geq 38 \%$ Eye Irrit. 2; H319: $5 \% \leq C < 38 \%$	-	-

Remarks

For full text of abbreviations: see SECTION 16

ECOLUTION MILIZID STICKS

Version number: GHS 1.0

Date of compilation: 25.03.2025

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered.

Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Rinse skin with water/shower.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water, Foam, Alcohol resistant foam, ABC-powder

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Deposited combustible dust has considerable explosion potential.

Hazardous combustion products

Nitrogen oxides (NO_x), Carbon monoxide (CO), Carbon dioxide (CO₂), Sulphur oxides (SO_x)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

ECOLUTION MILIZID STICKS

Version number: GHS 1.0

Date of compilation: 25.03.2025

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains, Take up mechanically

Advice on how to clean up a spill

Take up mechanically.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Take precautionary measures against static discharge. Use only in well-ventilated areas. Ground/bond container and receiving equipment.

- Specific notes/details

Dust deposits may accumulate on all deposition surfaces in a technical room. The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

- Handling of incompatible substances or mixtures

- Keep away from

Caustic solutions

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Removal of dust deposits.

- Incompatible substances or mixtures

- Do not mix with

Other chemicals

Protect against external exposure, such as

high temperatures, humidity, sunlight

- General rule

Keep only in the original container.

- Ventilation requirements

Use local and general ventilation.

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

7.3 Specific end use(s)

No information available

Read and follow instructions

Berufsgenossenschaftliche Informationen (Trade Union information)

Operating instruction

ECOLUTION MILIZID STICKS

Version number: GHS 1.0

Date of compilation: 25.03.2025

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)											
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Ceiling-C [ppm]	Ceiling-C [mg/m³]	Notation	Source
DE	dust		MAK		4					i	DFG
DE	dust		AGW		10		20			Y, i	TRGS 900
DE	dust		AGW		1.25		2.5			Y, r	TRGS 900
DE	dust		MAK		0.3		2.4			r, ex-uf-dust	DFG

Notation

Ceiling-C ceiling value is a limit value above which exposure should not occur

ex-uf-dust except ultrafine particles

i inhalable fraction

r respirable fraction

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Y a risk of developmental toxicity does not need to be expected if the occupational exposure limit value and the biological limit value (BGW) are adhered to

Relevant DNELs of components						
Name of substance	CAS No	Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
sulphamidic acid	5329-14-6	DNEL	70.5 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
sulphamidic acid	5329-14-6	DNEL	10 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14-16 (even numbered)-alkene, sodium salts	68439-57-6	DNEL	152 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14-16 (even numbered)-alkene, sodium salts	68439-57-6	DNEL	2,158 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Potassium carbonate	584-08-7	DNEL	10 mg/m³	human, inhalatory	worker (industry)	chronic - local effects
Potassium carbonate	584-08-7	DNEL	10 mg/m³	human, inhalatory	worker (industry)	acute - local effects

ECOLUTION MILIZID STICKS

Version number: GHS 1.0

Date of compilation: 25.03.2025

Relevant PNECs of components						
Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time
sulphamidic acid	5329-14-6	PNEC	1.8 mg/l	aquatic organisms	freshwater	short-term (single instance)
sulphamidic acid	5329-14-6	PNEC	0.18 mg/l	aquatic organisms	marine water	short-term (single instance)
sulphamidic acid	5329-14-6	PNEC	20 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
sulphamidic acid	5329-14-6	PNEC	8.36 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
sulphamidic acid	5329-14-6	PNEC	0.84 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
sulphamidic acid	5329-14-6	PNEC	5 mg/kg	terrestrial organisms	soil	short-term (single instance)
Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14- 16 (even numbered)-alkene, sodium salts	68439-57-6	PNEC	0.024 mg/l	aquatic organisms	freshwater	short-term (single instance)
Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14- 16 (even numbered)-alkene, sodium salts	68439-57-6	PNEC	0.002 mg/l	aquatic organisms	marine water	short-term (single instance)
Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14- 16 (even numbered)-alkene, sodium salts	68439-57-6	PNEC	4 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14- 16 (even numbered)-alkene, sodium salts	68439-57-6	PNEC	0.767 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14- 16 (even numbered)-alkene, sodium salts	68439-57-6	PNEC	0.077 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14- 16 (even numbered)-alkene, sodium salts	68439-57-6	PNEC	1.21 mg/kg	terrestrial organisms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

ECOLUTION MILIZID STICKS

Version number: GHS 1.0

Date of compilation: 25.03.2025

Skin protection

- Hand protection

Wear protective gloves.

- Type of material

Nitrile

- Material thickness

≥0,5 mm

- Breakthrough times of the glove material

>480 minutes (permeation: level 6)

- Other protection measures

Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection

Particulate filter device (EN 143).

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	solid (powder)
Colour	red
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	not determined
Flammability	non-combustible
Lower and upper explosion limit	not relevant (solid)
Flash point	not applicable
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	1.5 (in aqueous solution: 1 % (w/w))
Kinematic viscosity	not relevant

Solubility(ies)

Water solubility	miscible in any proportion
------------------	----------------------------

Partition coefficient

Partition coefficient n-octanol/water (log value)	this information is not available
---	-----------------------------------

Vapour pressure	not determined
-----------------	----------------

ECOLUTION MILIZID STICKS

Version number: GHS 1.0

Date of compilation: 25.03.2025

Density and/or relative density

Density	not determined
Relative vapour density	not relevant (solid)

Particle characteristics	no data available
--------------------------	-------------------

9.2 Other information

Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant
Other safety characteristics	there is no additional information

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

Hints to prevent fire or explosion

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

10.5 Incompatible materials

Oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4: May be harmful if swallowed or in contact with skin.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

ECOLUTION MILIZID STICKS

Version number: GHS 1.0

Date of compilation: 25.03.2025

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Test data are not available for the complete mixture.

Aquatic toxicity (chronic) of components

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
sulphamidic acid	5329-14-6	EC50	>60 mg/l	daphnia magna	21 d
Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14- 16 (even numbered)-alkene, sodium salts	68439-57-6	EC50	230 mg/l	microorganisms	3 h

12.2 Persistence and degradability

Degradability of components

Name of substance	CAS No	Process	Degradation rate	Time	Method	Source
Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14- 16 (even numbered)-alkene, sodium salts	68439-57-6	carbon dioxide generation	80 %	28 d		ECHA
Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14- 16 (even numbered)-alkene, sodium salts	68439-57-6	DOC removal	96 %	28 d		ECHA

12.3 Bioaccumulative potential

Data are not available.

ECOLUTION MILIZID STICKS

Version number: GHS 1.0

Date of compilation: 25.03.2025

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessmentDoes not contain a PBT-/vPvB-substance at a concentration of $\geq 0,1\%$.**12.6 Endocrine disrupting properties**Does not contain an endocrine disruptor (ED) at a concentration of $\geq 0,1\%$.**12.7 Other adverse effects**

Data are not available.

SECTION 13: Disposal considerations**13.1 Waste treatment methods**

Sewage disposal-relevant information

Avoid release to the environment. Dispose of contents/container in accordance with local/regional/national/international regulations.

Waste treatment of containers/packageings

It is a dangerous waste; only packageings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information**14.1 UN number or ID number**

ADR/RID/ADN	UN 2967
IMDG-Code	UN 2967
ICAO-TI	UN 2967

14.2 UN proper shipping name

ADR/RID/ADN	SULPHAMIC ACID
IMDG-Code	SULPHAMIC ACID
ICAO-TI	Sulphamic acid

14.3 Transport hazard class(es)

ADR/RID/ADN	8
IMDG-Code	8
ICAO-TI	8

14.4 Packing group

ADR/RID/ADN	III
IMDG-Code	III
ICAO-TI	III

14.5 Environmental hazards

non-environmentally hazardous acc. to the dangerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

ECOLUTION MILIZID STICKS

Version number: GHS 1.0

Date of compilation: 25.03.2025

Information for each of the UN Model Regulations**Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information**

Classification code C2

Danger label(s) 8



Excepted quantities (EQ) E1

Limited quantities (LQ) 5 kg

Transport category (TC) 3

Tunnel restriction code (TRC) E

Hazard identification No 80

International Maritime Dangerous Goods Code (IMDG) - Additional information

Marine pollutant -

Danger label(s) 8



Excepted quantities (EQ) E1

Limited quantities (LQ) 5 kg

EmS F-A, S-B

Stowage category A

Segregation group 1 - Acids

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Danger label(s) 8



Excepted quantities (EQ) E1

Limited quantities (LQ) 5 kg

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****Relevant provisions of the European Union (EU)****List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list**

not relevant

ECOLUTION MILIZID STICKS

Version number: GHS 1.0

Date of compilation: 25.03.2025

Seveso Directive

2012/18/EU (Seveso III)			
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
	not assigned		

Industrial Emissions Directive (IED)

VOC content	0
-------------	---

Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

Regulation on detergents

Labelling of contents	
Constituents	Weight % content (or range)
anionic surfactants	15 % or over but less than 30 %
non-ionic surfactants	less than 5 %
perfumes	

National regulations (Germany)

Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (Ordinance on facilities for handling substances hazardous to water) (AwSV)

Wassergefährdungsklasse, WGK 1 slightly hazardous to water
(water hazard class)

Technical instructions on air quality control (Germany)

Number	Group of substances	Class	Conc.	Mass flow	Mass concentration	Notation
5.2.1	total dust, including micro-dust		≥ 25 wt%	0.2 kg/h	20 mg/m ³	2)
5.2.5	organic substances		1 – < 5 wt%	0.5 kg/h	50 mg/m ³	3)

Notation

- 2) even with a mass flow smaller than or equal to 0.20 kg/h, a mass concentration of 0.15 g/m³ in waste gas may not be exceeded
 3) a total mass flow of 0.50 kg/h or a total mass concentration of 50 mg/m³, each of which to be indicated as total carbon, shall not be exceeded (except organic particulate matter)

Storage of hazardous substances in non-stationary containers (TRGS 510) (Germany)

Storage class (LGK) 8 B (non-combustible corrosive materials (except only corrosive to metals))

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

ECOLUTION MILIZID STICKS

Version number: GHS 1.0

Date of compilation: 25.03.2025

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
ADR/RID/ADN	Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN)
AGW	Workplace exposure limit
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DFG	Deutsche Forschungsgemeinschaft MAK-und BAT-Werte-Liste, Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe, Wiley-VCH, Weinheim
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LGK	Lagerklasse (storage class according to TRGS 510, Germany)
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration

ECOLUTION MILIZID STICKS

Version number: GHS 1.0

Date of compilation: 25.03.2025

Abbr.	Descriptions of used abbreviations
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
SVHC	Substance of Very High Concern
TRGS	Technische Regeln für Gefahrstoffe (technical rules for hazardous substances, Germany)
TRGS 900	Arbeitsplatzgrenzwerte (TRGS 900)
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.

Disclaimer

This SDS has been compiled and is solely intended for this product. This information is based on the present state of our knowledge and does not constitute an assurance of product properties nor establishes contract legal rights. All data about health and safety are only for information. They should therefore not be construed as specifications.