

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 3/24/2017 Revision date: 3/14/2023 Version: 1.5

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1. Product identifier**

Product name	: Foam Alcohol Hand Rub
UFI	: KCUG-49QH-J205-P7P8
Product code	: RHG 4440
Type of product	: Biocide
SKU #	: 2146691   2146692   2146693   2146695   2162581

#### **1.2.** Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Intended for general public Main use category Use of the substance/mixture

: Consumer use,Professional use : Hand sanitizers

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Newell Europe Sàrl Chemin de Blandonnet 8 CH-1214 Vernier - Switzerland T +44(0)870 5686824 <u>SDS.RCP@newellco.com</u>

#### 1.4. Emergency telephone number

#### Emergency number

: +44(0)870 5686824

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Cardiff Centre) University Hospital Llandough	Penlan Road CF64 2XX	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Edinburgh Centre) Royal Infirmary of Edinburgh	Little France Crescent EH16 4SA	0344 892 0111	Only for healthcare professionals
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER	+44 20 7188 7188	
United Kingdom	National Poisons Information Service (Newcastle Centre) Regional Drugs and Therapeutics Centre	16/17 Framlington Place Newcastle-upon-Tyne NE2 4AB	0344 892 0111	Only for healthcare professionals

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 2: Hazards identification	n
2.1. Classification of the substance of	r mixture
Classification according to Regulation (EC	C) No. 1272/2008 [CLP]
Flammable liquids, Category 2 Serious eye damage/eye irritation, Category 2 Full text of H- and EUH-statements: see secti	
Adverse physicochemical, human health a No additional information available	and environmental effects
2.2. Label elements	
Hazard pictograms (CLP)	GHS02 GHS07
Signal word (CLP) Contains Hazard statements (CLP)	<ul> <li>: Danger</li> <li>: Ethanol</li> <li>: H225 - Highly flammable liquid and vapour.</li> <li>H319 - Causes serious eye irritation.</li> </ul>
Precautionary statements (CLP)	<ul> <li>P210 - Keep away from heat, sparks, open flames, hot surfaces. No smoking.</li> <li>P233 - Keep container tightly closed.</li> <li>P280 - Wear eye protection.</li> <li>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P337+P313 - If eye irritation persists: Get medical advice/attention.</li> <li>P403+P235 - Store in a well-ventilated place. Keep cool.</li> <li>P501 - Dispose of contents/container to an approved waste disposal plant.</li> </ul>

#### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

### Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethanol	(CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5 (REACH-no) 01-2119457610-43	60 – 70	Flam. Liq. 2, H225
ISOPROPYL ALCOHOL	(CAS-No.) 67-63-0 (EC-No.) 200-661-7 (EC Index-No.) 603-117-00-0 (REACH-no) 01-2119457558-25	1 – 10	Flam. Liq. 2, H225 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Eye Irrit. 2, H319 STOT SE 3, H336
Glycerides, C8-10 mono-, di-, and tri-, ethoxylated	(CAS-No.) 308067-11-0 (EC-No.) 810-494-7	1 – 10	Eye Irrit. 2, H319

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
Ethanol	(CAS-No.) 64-17-5 (EC-No.) 200-578-6 (EC Index-No.) 603-002-00-5 (REACH-no) 01-2119457610-43	( 50 ≤C < 100) Eye Irrit. 2, H319

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: None under normal use. Rinse skin with water/shower. Take off immediately all contaminated clothing.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Get medical advice/attention if you feel unwell. Drink plenty of water. Do NOT induce vomiting. Rinse mouth. Obtain emergency medical attention.
4.2. Most important symptoms and effects	s, both acute and delayed
Symptoms/effects Symptoms/effects after eye contact	<ul><li>Not applicable.</li><li>Causes serious eye irritation.</li></ul>

4.3. Indication of any immediate medical attention and special treatment needed

Not applicable.

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media Unsuitable extinguishing media	<ul><li>Carbon dioxide. Dry powder. Foam. Sand. Water spray.</li><li>Do not use a heavy water stream.</li></ul>	
5.2. Special hazards arising from the substance or mixture		
Fire hazard Explosion hazard Hazardous decomposition products in case of fire	<ul><li>Highly flammable liquid and vapour.</li><li>May form flammable/explosive vapour-air mixture.</li><li>Not applicable.</li></ul>	
5.3. Advice for firefighters		
Firefighting instructions Protection during firefighting Other information	<ul> <li>Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.</li> <li>Do not enter fire area without proper protective equipment, including respiratory protection.</li> <li>Not applicable.</li> </ul>	

SECTION 6: Accidental release measures			
6.1. Personal precautions, protective equip	ment and emergency procedures		
General measures	: Take up liquid spill into absorbent material. Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.		
6.1.1. For non-emergency personnel			
Emergency procedures	: Evacuate unnecessary personnel.		

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

6.1.2. For emergency responders		
Protective equipment Emergency procedures	<ul><li>Equip cleanup crew with proper protection.</li><li>Ventilate area.</li></ul>	
6.2. Environmental precautions		
Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.		
6.3. Methods and material for containment and cleaning up		
Methods for cleaning up	: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.	
Other information	: Can be slippery on hard, smooth walking area.	

6.4. Reference to other sections

For further information refer to section 13. See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Additional hazards when processed Precautions for safe handling	<ul> <li>Handle empty containers with care because residual vapours are flammable.</li> <li>Not applicable. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. No open flames. No smoking. Use only non-sparking tools.</li> </ul>	
Hygiene measures	: None under normal use. Wash hands, forearms and face thoroughly after handling.	
7.2. Conditions for safe storage, includ	ing any incompatibilities	
Technical measures	: Comply with applicable regulations. Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment.	
Storage conditions	: Keep only in original container. Keep cool. Keep only in the original container in a cool, well ventilated place away from : Keep in fireproof place. Keep container tightly closed.	
Incompatible products	: Strong bases. Strong acids.	
Incompatible materials	: Sources of ignition. Direct sunlight. Heat sources.	
7.3. Specific end use(s)		

Not applicable.

### SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

ISOPROPYL ALCOHOL (67-63-0)	
United Kingdom - Occupational Exposure Limits	
Local name	Propan-2-ol
WEL TWA (OEL TWA) [1]	999 mg/m³
WEL TWA (OEL TWA) [2]	400 ppm
WEL STEL (OEL STEL)	1250 mg/m <sup>3</sup>
WEL STEL (OEL STEL) [ppm]	500 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Ethanol (64-17-5)	
United Kingdom - Occupational Exposure Limits	
Local name	Ethanol
WEL TWA (OEL TWA) [1]	1920 mg/m <sup>3</sup>
WEL TWA (OEL TWA) [2]	1000 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

: \_OFFICIAL\_EIGA0759>

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

<tx

#### 8.1.5. Control banding

No additional information available

8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

No additional information available

#### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Avoid all unnecessary exposure. Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

Eye protection:	
Chemical goggles or safety glasses	

#### 8.2.2.2. Skin protection

#### Hand protection:

None under normal use

#### 8.2.2.3. Respiratory protection

Respiratory protection:	
None under normal use	

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### Other information:

Do not eat, drink or smoke during use.

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and ch	nemical properties	
Physical state	: Liquid	
Colour	: clear.	
Appearance	: Transparent.	
Odour	: odourless.	
Odour threshold	: Not available	
Melting point	: Not available	
Freezing point	: Not available	
Boiling point	: 79 °C	
Flammability	: Highly flammable liquid and vapour.	
Explosive limits	: Not available	
Lower explosion limit	: Not available	
Upper explosion limit	: Not available	
Flash point	: 22 °C	
Auto-ignition temperature	: Not available	
Decomposition temperature	: Not available	
рН	: 5.5 – 6.5	
Viscosity, kinematic	: 10 – 12 seconds (DIN 53211)	
Solubility	: Not available	
Partition coefficient n-octanol/water (Log Kow)	: Not available	
Vapour pressure	: Not available	
Vapour pressure at 50°C	: Not available	
Density	: Not available	
Relative density	: 0.87 – 0.876	
Relative vapour density at 20°C	: Not available	
Particle size	: Not applicable	
Particle size distribution	: Not applicable	
Particle shape	: Not applicable	
Particle aspect ratio	: Not applicable	
Particle aggregation state	: Not applicable	
Particle agglomeration state	: Not applicable	
Particle specific surface area	: Not applicable	
Particle dustiness	: Not applicable	

#### 9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

### SECTION 10: Stability and reactivity

### 10.1. Reactivity

Not applicable.

10.2. Chemical stability

Not applicable. Highly flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

10.3. Possibility of hazardous reactions

Not applicable. Not established.

**10.4. Conditions to avoid** 

Not applicable. Direct sunlight. Extremely high or low temperatures. Open flame.

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### **10.5. Incompatible materials**

Not applicable. Strong acids. Strong bases.

**10.6. Hazardous decomposition products** 

Not applicable. fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

SECTION 11: Toxicological information		
11.1. Information on hazard classes as d	11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008	
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	Not classified Not classified Not classified	
ISOPROPYL ALCOHOL (67-63-0)		
LD50 oral rat	2000 mg/kg	
LD50 oral	4396 mg/kg bodyweight	
LD50 dermal rat	2000 mg/kg	
LD50 dermal	12800 mg/kg bodyweight	
LC50 Inhalation - Rat (Dust/Mist)	46600 mg/l	

Ethanol (64-17-5)	
LD50 oral rat	7060 mg/kg
LD50 oral	10470 mg/kg bodyweight
LD50 dermal rabbit	> 16000 mg/kg
LD50 dermal	15800 mg/kg bodyweight
LC50 Inhalation - Rat	> 20 mg/l/4h
LC50 Inhalation - Rat (Dust/Mist)	> 99999 mg/l
Skin corrosion/irritation	: Not classified pH: 5.5 – 6.5
Additional information	: Based on available data, the classification criteria are not met
Serious eye damage/irritation	: Causes serious eye irritation. pH: 5.5 – 6.5
Respiratory or skin sensitisation	Not classified
Additional information	: Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-single exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met

ISOPROPYL ALCOHOL (67-63-0)	
STOT-single exposure	May cause drowsiness or dizziness.
	Not classified Based on available data, the classification criteria are not met

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Aspiration hazard Additional information	<ul><li>Not classified</li><li>Based on available data, the classification criteria are not met</li></ul>
Foam Alcohol Hand Rub	
Viscosity, kinematic	10 – 12 seconds (DIN 53211)
11.2. Information on other hazards	
11.2.1. Endocrine disrupting properties	
11.2.2 Other information	
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

ISOPROPYL ALCOHOL (67-63-0)	
LC50 - Fish [1]	100 mg/l
EC50 - Crustacea [1]	100 mg/l
EC50 - Other aquatic organisms [1]	13299 mg/l waterflea
EC50 - Other aquatic organisms [2]	> 1000 mg/l

Ethanol (64-17-5)	
LC50 - Fish [1]	13000 mg/l
EC50 - Crustacea [1]	9300 mg/l
EC50 - Other aquatic organisms [1]	5012 mg/l waterflea
EC50 - Other aquatic organisms [2]	275 mg/l
12.2. Persistence and degradability	
Foam Alcohol Hand Rub	
Persistence and degradability	Not applicable. Not established.
Ethanol (64-17-5)	
Persistence and degradability	Not established.
12.3. Bioaccumulative potential	
Foam Alcohol Hand Rub	
Bioaccumulative potential	Not applicable. Not established.
ISOPROPYL ALCOHOL (67-63-0)	
Partition coefficient n-octanol/water (Log Pow)	0.05

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Ethanol (64-17-5)	
Partition coefficient n-octanol/water (Log Pow)	-0.32
Bioaccumulative potential	Not established.
12.4. Mobility in soil	
Foam Alcohol Hand Rub	
Ecology - soil	Not applicable.
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Endocrine disrupting properties	
Adverse effects on the environment caused by : endocrine disrupting properties	None
12.7. Other adverse effects	
Other adverse effects : Additional information :	
SECTION 13: Disposal considerations	
13.1. Waste treatment methods	

Product/Packaging disposal recommendations	Refer to manufacturer/supplier for information on recovery/recycling. Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Additional information	: Handle empty containers with care because residual vapours are flammable.
Ecology - waste materials	: Avoid release to the environment.

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number or ID number	
UN-No. (ADR) UN-No. (IMDG) UN-No. (IATA) UN-No. (ADN) UN-No. (RID)	: UN 1170 : UN 1170 : UN 1170 : UN 1170 : UN 1170
14.2. UN proper shipping name	
Proper Shipping Name (ADR) Proper Shipping Name (IMDG) Proper Shipping Name (IATA) Proper Shipping Name (ADN) Proper Shipping Name (RID) Transport document description (ADR) Transport document description (IMDG) Transport document description (IATA) Transport document description (ADN) Transport document description (RID)	<ul> <li>ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)</li> <li>ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)</li> <li>Ethanol solution</li> <li>ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)</li> <li>ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)</li> <li>UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II, (D/E)</li> <li>UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II</li> <li>UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II</li> <li>UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II</li> <li>UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II</li> <li>UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II</li> <li>UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II</li> </ul>

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

14.3. Transport hazard class(es)	
ADR Transport hazard class(es) (ADR) Danger labels (ADR)	: 3 : 3
IMDG	
Transport hazard class(es) (IMDG) Danger labels (IMDG)	: 3 : 3
ΙΑΤΑ	
Transport hazard class(es) (IATA) Danger labels (IATA)	: 3 : 3
ADN	
Transport hazard class(es) (ADN) Danger labels (ADN)	: 3 : 3 :
RID	
Transport hazard class(es) (RID) Danger labels (RID)	: 3 : 3 :
<b>14.4. Packing group</b> Packing group (ADR)	: 11
Packing group (IMDG) Packing group (IATA)	
Packing group (ADN) Packing group (RID)	
14.5. Environmental hazards	
Dangerous for the environment	: No
Marine pollutant Other information	No     No supplementary information available

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

: •2YE

: 144 : 1 L : E2 : P001 : IBC02 : T4 : TP1 : F-E : S-D : A

19% Miscible with water.

### 14.6. Special precautions for user

#### **Overland transport**

Classification code (ADR)	:	F1
Special provisions (ADR)	:	144, 601
Limited quantities (ADR)	:	11
Excepted quantities (ADR)	:	E2
Packing instructions (ADR)	:	P001, IBC02, R001
Mixed packing provisions (ADR)	:	MP19
Portable tank and bulk container instructions (ADR)	:	T4
Portable tank and bulk container special provisions	:	TP1
(ADR)		
Tank code (ADR)	:	LGBF
Vehicle for tank carriage	:	FL
Transport category (ADR)	:	2
Special provisions for carriage - Operation (ADR)	:	S2, S20
Hazard identification number (Kemler No.)	:	33
Orange plates	:	33
		1170
Tunnel restriction code (ADR)	:	D/E

#### EAC code

#### Transport by sea

Special provisions (IMDG)
Limited quantities (IMDG)
Excepted quantities (IMDG)
Packing instructions (IMDG)
IBC packing instructions (IMDG)
Tank instructions (IMDG)
Tank special provisions (IMDG)
EmS-No. (Fire)
EmS-No. (Spillage)
Stowage category (IMDG)
Properties and observations (IMDG)

#### Air transport

Air transport	
PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y341
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 353
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 364
CAO max net quantity (IATA)	: 60L
Special provisions (IATA)	: A3, A58, A180
ERG code (IATA)	: 3L
Inland waterway transport	
Classification code (ADN)	: F1
Special provisions (ADN)	: 144, 601
Limited quantities (ADN)	: 1L
Excepted quantities (ADN)	: E2
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01
Number of blue cones/lights (ADN)	: 1
Rail transport	
Classification code (RID)	: F1
Special provisions (RID)	: 144, 601
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E2
Packing instructions (RID)	: P001, IBC02, R001
Mixed packing provisions (RID)	: MP19
,	

: Colourless, volatile liquids.Pure ETHANOL: flashpoint 13°C c.c. Explosive limits: 3.3% to

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Portable tank and bulk container instructions (RID) Portable tank and bulk container special provisions (RID)		T4 TP1
Tank codes for RID tanks (RID)		LGBF
Transport category (RID)	:	2
Colis express (express parcels) (RID)		CE7
Hazard identification number (RID)	:	33

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions) Contains no substance(s) listed on the REACH Candidate List Contains no substance(s) listed on REACH Annex XIV (Authorisation List) Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals) Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### 15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

#### **SECTION 16: Other information**

Indication of changes:			
Section	Changed item	Change	Comments
	Revision date	Added	
1.1	Name	Modified	
2.2	Precautionary statements (CLP)	Modified	
3	Composition/information on ingredients	Modified	
12.6	Potential adverse human health effects and symptoms	Added	

Data sources

 REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
 None.

Other information

Full text of H- and EUH-statements:	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

H312	Harmful in contact with skin.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

SDS EU NWL 2021

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.